

---

# Utopia Prime C3 PIPO meeting

Cooling & Heating

air

## Utopia R32: tier 1 R32 PAC

Series	Old model		New model	
	Generation	Old model	Generation	New model
Prime series R32			C3	RAS-2HVRC3 ★
			C3	RAS-2.5HVRC3 ★
	<i>C2⇒</i>	<i>RAS-3HVRC2 ⇒</i>	<i>⇒ C3</i>	<i>⇒ RAS-3HVRC3 ★</i>
	C2	RAS-4HVRC2	C2	RAS-4HVRC2
	C2	RAS-4HRC2	C2	RAS-4HRC2
	C2	RAS-5HVRC2	C2	RAS-5HVRC2
	C2	RAS-5HRC2	C2	RAS-5HRC2
	C2	RAS-6HVRC2	C2	RAS-6HVRC2
	C2	RAS-6HRC2	C2	RAS-6HRC2

★ New

## Legacy and new model comparison

Legacy and new models are quite similar in terms of product type, however, there are some specifications that are changed:

feature	2HP		2.5HP		3HP	
	legacy	New	legacy	New	legacy	New
	RAS-2HNVP1	RAS-2HVRC3	RAS-2.5HNVP1	RAS-2.5HVRC3	RAS-3HVRC2	RAS-3HVRC3
SEER	☆☆	☆☆☆	☆☆	☆☆☆	☆☆	☆☆☆
EER	☆☆	☆☆☆	☆☆☆	☆☆	☆☆	☆☆☆
SCOP	☆☆☆	☆☆	☆☆☆	☆☆	☆☆☆	☆☆☆
COP	☆☆☆	☆☆	☆☆☆	☆☆	☆☆	☆☆☆
INDIVIDUAL CONTROL	✓	×	✓	×	×	×
SIMULTANEOUS CONTROL	✓	×	✓	×	✓	✓

- In terms of specs, new 3HP model is equivalent (slightly better) to legacy model, forecast should be aligned.
- Utopia C2 should be cleared off before offering utopia C3 for 3HP
- For 2 and 2.5HP models, the forecast is not equivalent to the previous IXV-P 2 and 2.5HP as new model is not having individual neither simultaneous control

## Compatibility

HITACHI

Utopia Prime C3 outdoors are compatible with all R32 compatible indoor units (FSR) and passive KPI

Not compatible indoor units	
Model name	Indoor description
RPFI-FSN2E	Floor unit w/o casing
RPF-FSN2E-K	Floor unit w casing
RPI-FSN3E	Medium static pressure ducted
RWHT-VNF1E	Hydrofree
KPI-X4E	Active KPI
EXV-E2	DX-Kits

Compatible indoor units	
Model name	Indoor description
RCI-FSR(1)	Cassette
RCIM-FSRE	Mini cassette
RCD-FSR	2 way cassette
RPIL-FSR(1)E	Low static pressure ducted
RPI-FSR(1)E	Medium static pressure ducted
RPIH-FSR(1)E	High static pressure ducted
RPC-FSR	Ceiling unit
RPK-FSR(H)M	Wall mounted unit
KPI-E4E	Passive KPI

HITACHI

—  
**Thanks for your  
attention**

Cooling & Heating

air